



NOTES BY CIVIL ENGINEER:
 A - THE OWNER SHALL SUBMIT THE OUTSIDE KITCHEN PLANS TO THE CHILMARK BOARD OF HEALTH FOR THEIR APPROVAL.
 B - ALL UNDERGROUND UTILITIES, INCLUDING WATER, PHONE, AND ELECTRICAL LINES, MUST BE LOCATED BY THE CONTRACTOR, AND DIGSAFE SYSTEM, INC. MUST BE CONTACTED AT 1-888-344-7233 PRIOR TO ANY EXCAVATION.
 C - SEWAGE EJECTOR PUMP SHALL BE A NON-GRINDER PUMP WITH A DISCHARGE FLOW RATE FEWER THAN 60 GALLONS PER MINUTE AT THE DESIGN TOTAL DYNAMIC HEAD AND CAPABLE OF PASSING A TWO INCH DIAMETER SOLID.
 D - PRESSURE PIPE SHALL BE INSTALLED AT A MINIMUM OF 48" BELOW GRADE UNLESS PRESSURE PIPE IS INSTALLED BETWEEN 48"-24" BELOW GRADE WITH 2" THICK BY 24" WIDE RIGID INSULATION INSTALLED OVER PIPE.
 E - SEE SEWAGE DISPOSAL SYSTEM PLAN DATED 5/10/2000 ON RECORD AT CHILMARK BOARD OF HEALTH.
 F - ALL DOORS WITHIN POOL ENCLOSURE (EXCEPT 1/2 BATH) SHALL BE ALARMED IN ACCORDANCE WITH THE STATE BUILDING CODE REQUIREMENTS

CIVIL ENGINEERING WORK PREPARED BY SOURATI ENGINEERING GROUP. THIS DRAWING AMENDED WITH SCOPE REDUCTION BY GREGORY MILNE ARCHITECT. SEE ORIGINAL CIVIL ENGINEERING PLAN IN THIS SET

*Site Plan
in
Chilmark, Massachusetts
Assessor Parcel 17-51
prepared for
Makena B. Herget 1983 Trust
Scale 1"=40' December 22, 2021
Revision Date February 25, 2022
Revision Date April 6, 2022
Revision Date May 24, 2022*



*P.O. Box 4458
107 Beach Road, Suite 202
Vineyard Haven, MA 02568
Phone (508) 693-9933 Fax (508) 693-4933*