


**ZOOM: CONSERVATION COMMISSION AGENDA 6/1/21 @ 9:00 AM**



**1. 9:00 am Public Hearing via Zoom**

**NOI - Sean Gildea (SE12-TBD)**

**Representative:** Reid Silva, Vineyard Land Surveying & Engineering

**Address:** 53 Wequobsque Road; AP 30-115

**Project:** The applicant is proposing to construct and maintain a timber beach access stairway on the Coastal Bank at 53 Wequobsque Road, Chilmark Assessor Parcel 30-115. This project previously received approval twice from the Conservation Commission but work was never started and the permits lapsed.

**Site Visit:** TBD

**2. 9:05 am Public Hearing (Continued) via ZOOM**

**NOI - Sheriff's Meadow Foundation (Roth Woodlands Ecological Restoration) SE12-871**

**Representative:** Kristen Geagan, Director of Stewardship

**Address:** 148 North Road (Project taking place near northern terminus of Old Farm Road); AP 3-4

**Project:** Sheriff's Meadow Foundation (with MA Division of Ecological Restoration) proposes a culvert replacement project at the headwaters of the Mill Brook, located on the Roth Woodlands Property (owned by Sheriff's Meadow Foundation). The project proposes to replace two undersized culverts with a larger pre-cast culvert that conforms to MA Stream Crossing Standards and allows for the restoration of ecological functions and fish & wildlife passage. The project falls within a riverfront, bordering vegetated wetlands, land under water, inland banks, land subject to flooding and associated buffer zones, all areas regulated by the MA Wetlands Protection Act and the Chilmark Wetlands By-Law.

**3. 9:15 am Public Hearing via Zoom**

**NOI - Adam B. Leff (SE12-TBD)**

**Representative:** George Sourati, Sourati Engineering Group LLC

**Address:** 1 Azalea Lane; AP 29-5

**Project:** The applicant is proposing to restore a pool and pool deck area to comply with MA State building codes and to re-landscape the area. No increase in decks or other structures are proposed. The project proposes altering 15 sq ft of bordering vegetated wetland and is within the 100' buffer zone.

**Site Visit:** TBD

**4. Administration: Draft 5/18/21 meeting minutes & topics not reasonably anticipated by chair.**