

## **Consideration for Mobile Unit Research Areas (MST/ MSV) Pre-Site Development**

- Available parking lot size for use by CARE.
  - Lot dimensions or number of parking spots available.
  - Images (photos) and google map satellite images where possible
  - How busy is the lot, any peak hours/days
  - Are there other providers/businesses using the lot?
  - Can staff park their vehicles on the lot as well?
    - On site or off-site?
  - Any limitations regarding the duration the Mobile Unit may be parked onsite at a time. (Daily, weekly, monthly, as needed?)
- Is there available Shoreline Power?
  - Can modifications be accommodated if needed? E.g add power line?
- Bathroom facilities: Can building facilities be utilized by staff?
  - Building hours, M-F & Sat/Sun
- Security features of the lot / exterior?
  - Is the property fenced in?
  - Are there security cameras installed? If so, are they in the direction of the available space to be utilized by CARE?
  - Can accommodations be made if needed?

## **MST/MSV Photos**



MST(Trailer) Dimensions: 32'2" x 10'  
MSV (Ambulance/Van) approx : 20' x 8'4"

**Layout example: Orientation and number of Units will vary depending on space available and need**



- Who are the appropriate point of contact parties at the site for any related/follow up questions? Name and title.
- Preferred mode of contact and hours available.
- If a first or other site visit is needed, what is the soonest availability to schedule one. (2 or 3 preferred available dates would be great)