

DESIGN DEVELOPMENT

GREENBERG

12 LARSEN LANE NORTH FORK, CHILMARK, MA, 02535

GARDENS



Though the front gardens are a small area, they can deliver a very big impact. Drought tolerant perennials that are supported by structural grasses will carry shape and color through the seasons.



SHRUBS



A. RHUS TYPHINA



B. VIBURNUM MARESSII



C. PRUNUS MARITIMA

NATIVE PLANTINGS




1. *Thymus serpyllum*
Creeping Thyme



2. *Eryngium Yuccifolium*
Rattlesnake master



3. *Achillea millifolium*
Yarrow



4. *Eragrostis spectabilis*
Lovegrass



5. *Pycnanthemum virg.*
Mountain Mint



6.. *Sedum spectabile*
Sedum Autumn Joy



7. *Schizachyrium scoparium*
Little Bluestem 'Blue Heaven'



8.. *Asclepias tuberosa*
Butterfly weed



9. Anemone



10. Calamagrostis Brachytricha



11. Blue Vervain



12.. Pycnanthemum virg.



13. Erigeron
Fleabane



14. *Sanguisorba officinalis*



15. *Calamintha nepeta*



16. *Heuchera macrorhiza*



17. *Phlomis tuberosa*
Jerusalem Sage



18. *Sesleria autumnalis*
Autumn Moor Grass



19. *Stachys byzantina*
Lamb's ear



20. *Sisyrinchium*
Blue-eyed grass



21. *Verbena bonariensis*



22. *Daucus*
Queen Anne's Lace



23. *Thalictrum*
Meadow Rue



24. *Nepeta*
Catmint

DRIVEWAY



Down the line, this could be an option for the parking area. Granite curb would keep the area clean and dependable for the long haul. Another more cost effective option would be to edge the driveway with steel edging and top it with a blue micro gravel pea stone that can lock together and is less likely to run off.

FRONT WALL




It may be necessary to rebuilt parts of the existing stone wall after our landscape install is complete. One concept is to transplant the existing hydrangea hedge throughout the front gardens and plant lower flowering shrubs to allow for a better view of the garden behind them, or plant a beach plum hedge, allowing for early spring interest, late season fruit, and an option to tame the shrub hedge into a cloud like shape.

LIGHTING

A POSSIBLE LIGHTING OPTION COULD BE THESE DIRECTIONAL PATH LIGHTS. THEY ARE DARK SKY COMPLIANT AND GOOD QUALITY.

I AM ESTIMATING YOU WOULD NEED ABOUT THREE FOR THE PATH FROM DRIVEWAY TO THE FRONT DOOR.

PATH LIGHTING




PROJECT	DATE
TYPE	CATALOG #


ARCHITECT PATH

BRASS ADJUSTABLE PATH LIGHT


PS-501B



ANGLED SHROUD



FLAT SHROUD (F)

ETL LISTED COMPLIES WITH UL1838 

KEY FEATURES

- CONTEMPORARY DESIGN
- COMES W/BOTH FLAT AND ANGLED SHROUDS
- SOLID BRASS
- NATURAL BRONZE FINISH GUARANTEED NOT TO CHIP, FLAKE OR PEEL
- TEMPERED, SHOCK AND HEAT RESISTENT LENS
- HIGH TEMPERATURE CERAMIC SOCKET
- FIELD REPLACEABLE LED LAMP
- DIMMABLE*


PRODUCT SPECIFICATIONS


MATERIAL	SOLID BRASS
FINISH	NATURAL BRONZE
LENS	CLEAR FLAT TEMPERED
SOCKET	BI PIN
LAMP	MR16
VOLTAGE	12V
PROJECTION	UP TO 50 FT
LEAD WIRE	3 FT

STEP 1

FIXTURE CONFIGURATION

PS-501B




FINISH OPTION 


NBZ NATURAL BRONZE

STEP 3

ACCESSORY OPTIONS

AX-800P INCLUDED




STAKE OPTION 


AX-802P HEAVY DUTY PERMA POST

STEP 2

LED LAMP CONFIGURATION

LED-MR16




LED WATTAGE 

3.5W 250 LM

4.5W 350 LM


5.5W 450 LM

7W 500 LM

KELVIN TEMPERATURE 

27K 2700K

30K 3000K

BEAM ANGLE 

15D 15° NARROW*

45D 45° STANDARD

60D 60° WIDE

* 15° Only available in 3.5w and 5.5w - 2700k or 3000k

+Fully tested with Lutron Diva (DVLV-600P) dimmer and Lightcraft dimmable transformers and LED lamps.

Coordinating Accent Light Series (FL-501B) also available

LIGHTCRAFT OUTDOOR | 9811 OWENSMOUTH AVE | UNIT 1 | CHATSWORTH, CA 91311
 PHONE: 818.349.2663 | FAX: 818.349.2676 | E-MAIL: SALES@LIGHTCRAFTOUTDOOR.COM