


HALEY ALDRICH

NOTE:
Existing Conditions from "Site Plan in
Chilmark, Mass." Prepared by Vineyard
Survey Associates for Town of Chilmark,
June 9, 2015.
Ref. Job No. 227-30

ELEVATIONS:

1. Elevations based on N.A.V.D. 88
2. Mean High Water elevation = 2.1
3. Mean Low Water elevation = -0.8

Approximate Massachusetts State Plane
Island Zone NAD 83




Squibnocket Road

[illegible]

Notice of Intent June 24, 2015

Drawing Title



Squibnocket Farms
Existing Conditions and
Resource Areas



EC-1

Sheet 1 of 2

Project Number
13160.00



ELEVATIONS:

1. Elevations based on N.A.V.D. 88
2. Mean High Water elevation = 2.1
3. Mean Low Water elevation = -0.8

Approximate Massachusetts State Plane
Island Zone NAD 83

Limit of VE Zone from FEMA Preliminary
FIRM Community Panel 25007C0159J,
issued April 27, 2015

LIMIT OF WORK/
EROSION CONTROL

- Notes:**
-
1. STRAW WATTLE SHALL BE AS MANUFACTURED BY EARTHSAVER OR APPROVED SUBSTITUTE.
 2. STRAW WATTLES SHALL OVERLAP A MINIMUM OF 12 INCHES.
 3. STRAW WATTLE SHALL BE INSPECTED PERIODICALLY AND AFTER ALL STORM EVENTS, AND REPAIR OR REPLACEMENT SHALL BE PERFORMED PROMPTLY AS NEEDED.
 4. TEMPORARY STRAW WATTLES TO BE REMOVED BY CONTRACTOR. ALL OTHERS TO REMAIN IN PLACE UNLESS DIRECTED OTHERWISE BY ENGINEER.
 5. IF NON BIODEGRADABLE NETTING IS USED THE NETTING SHALL BE COLLECTED AND DISPOSED OF OFFSITE.

Straw Wattle - Erosion Control Barrier

8/12

N.T.S.

Source: VHE

LD_659




Squibnocket Road

[illegible]

Drawing Title

**Squibnocket Farms
Proposed Geotechnical
Evaluation**



X-1

Sheet 2 of 2

Project Number
13160.00